



# **R-SERIES**


Distinct, dynamic and sharper than ever, the new Scania R-series sets a new standard in long-haulage truck design and technology.


Scania's R 480 brings cutting edge Euro 5 compliant SCR technology and economy with genuine B-Double or heavy single trailer capacity. Ideal for interstate and long haul work.



# R 480 6X4 PRIME MOVER

**Chassis Specification** 





### Engine

- Scania DC 13 480 12.7 Litre In-line 6 cylinder
- Power 480hp (353kW) @ 1900rpm
- Torque 2400Nm (1770lb-ft) @ 1000 1300rpm
- Euro 5 (ADR 80/03)

#### **Engine Features**

- Scania electronic fuel injection
- Single stage turbocharger
- SCR with catalytic converter
- Centrifugal engine oil filter
- Spin-on turbocharger oil filter
- Cartridge style fuel filter

#### Fan

• 11 Blade, electronically controlled viscous drive

#### Alternator

Scania 24V, 100amp

#### Compressor

• Knorr 720, twin cylinder, 800L/min with air drier

#### Air Cleaner

• Mounted under the grille, RH side

#### Gearbox

- Scania GRS0905R, Overdrive 14 speed
- Scania Retarder

#### **Gearbox Features**

- Scania Opticruise
- Gearbox oil cooler
- PTO Electrical Preparation
- R4100D Retarder

### Front & Rear Axles

#### Front Axle

Scania AM 740

#### **Front Suspension**

 3 x 29 parabolic front springs 7500kg capacity with anti roll bar

#### **Rear Axles**

- Scania ADA 1100 Axle housing
- Scania RB662/R660 Differentials
- Ratio 3.42 with power divider and differential locks

#### Brakes


- Scania electronically controlled disc brakes
- EBS with integrated ABS and Traction Control
- Hill hold
- ESP

#### Wheels

- Alcoa aluminium disc polished, 22.5" x 8.25" tubeless rims
- 335mm PCD

#### Tyres

- Front Bridgestone 295/80 R22.5
- Rear Bridgestone 295/80 R22.5



	sis

#### Frame

- Scania F950, 270 x 90 x 9.5mm
- Width 770mm

#### Paint

Scania Sub-Grey (Powder Coat)

#### Axle Distance

- 3100mm (3775mm wheel base)
- Rear overhang 1475mm

#### **Fuel Tanks**

- 700L (1x400L L/H, 1x300L R/H)
- 1 x 75L Urea tank R/H

#### Front Bumper

• FUP to ECE R93

Low Mounted FUP compliant bumper

# Batteries

- 24V (2x12V, 180amp) L/H Side
- Chassis electrical connection for auxiliary equipment (Max 200amps)

#### **Trailer Connections - Brakes**

Trailer Supply & Emergency suzi coils

#### **Trailer Connections - Electrical**

- 24V trailer light outlet (ISO 1185)
- Trailer lead 7pole to 7pole
- 24V trailer 7pin ABS outlet
- Scania Body Work System with Cable Harness
- Front Mudguards with Spray suppression
- Rear Mudguards with Spray suppression

# Cabin

- Scania CR19 Normal Height Sleeper cab with four point spring suspension
- Cab Strength to ECE R29

#### Paint

- Cabin painted Scania white
- With Brilliant Silver grille

#### Exterior Equipment

- Aerodynamic main & spotter mirrors
  electrically heated
- Electrically adjustable main mirrors
- Close up mirror on passenger side
- Front view mirror
- Roof rails with full air deflector kit
- Roof mounted air horns
- Manual roof hatch with mosquito net
- External storage compartments
- Reverse alarm

## Lighting

- H7 headlights
- LED daytime running lights
- End outline marker White LED
- Identification lamp Amber LED
- Driving lights in sun visor
- Spot and fog lights in bumper
- Boarding step lights
- Turntable light

#### Safety

- Driver seat belt pretensioner
- Driver's air bag
- Lane departure warning (LDW)
- Advanced emergency braking (AEB)
- Adaptive cruise control (ACC)

#### FOH 858mm 1460mm AC AD 3100mm 3-4 997-977mm WB 3775mm OAL 6710mm BS 1350mm J 800mm ROH 1475mm 2150mm JA BBC 3385mm 2318mm OAH CA 2917mm CL 255mm

Turntable mounting angles protrude 40mm above the chassis height.

Tare Weight: Front = 5480kg, Rear = 3455kg, Total = 8935kg.

Tare weight includes tanks full of fuel. It does not include turntable, bullbar or driver. Tare weight may vary +/- 5% depending on vehicle specifications.

#### Interior Equipment

- Premium driver's seat with armrests
- Fully adjustable with lumber support
- Folding passenger seat
- Black woven trim
- Soft feel black/grey dash with grey trim
- Centre storage and passenger table
- Cruise control and dash display controlled from the steering wheel
- Scania colour dash display featuring rear axle load, hour meter, service and vehicle information
- AM/FM radio, CD player with Bluetooth
- AUX MP3 input
- Phone electrical preparation
- 12V outlet in dash
- FMS Preparation
- Resettable circuit breakers
- Power windows
- Manual climate control with air conditioning
- Refrigerator/freezer under bunk
- Lower Bed, 700 900mm extendable bunk
- Curtains for windscreen & doors, bed
- Protective rubber floor mats
- UHF CB radio

#### **Additional Equipment**

- 20m tyre inflation hose
- Jack & wheel brace
- Globe kit
- Driver's manual
- Three safety triangles



# **HEAD OFFICE**

212 – 216 Northbourne Rd Campbellfield, 3061 Tel: (03) 9217 3300 VICTORIA

Scania Campbellfield 212 – 216 Northbourne Rd Campbellfield, 3061 Tel: (03) 9217 3300 Scania Dandenong 2/66 Greens Rd Dandenong South, 3175 Tel: (03) 9217 3600

Scania Laverton 125 – 129 Boundary Rd Laverton, 3026 Tel: (03) 9369 8666 NEW SOUTH WALES **Scania Prestons** 16 – 18 Lyn Pde Prestons, 2170 Tel: (02) 9825 7900

Scania Newcastle 1 Enterprise Drive Beresfield, 2322 Tel: (02) 9825 7940

K & J Trucks Pty Ltd Lot 1 Pacific Highway Boambee, 2450 Tel: (02) 6652 7218

NJ's of Wagga 301 Copland Street Wagga Wagga, 2650 Tel: (02) 6971 7214

#### QUEENSLAND Scania Richlands

149 Archerfield Rd Richlands, 4077 Tel: (07) 3712 8500 Scania Pinkenba 213 Holt St Pinkenba, 4008 Tel: (07) 3712 7900

#### SOUTH AUSTRALIA

Scania Wingfield 218 – 234 Cormack Rd Wingfield, 5010 Tel: (08) 8406 0200

### WESTERN AUSTRALIA

Scania Kewdale 527 – 529 Abernethy Rd Kewdale, 6105 Tel: (08) 9360 8500 Scania Bunbury 12 Proffitt St Davenport, 6230 Tel: (08) 9724 6200

IMPORTANT. The specifications in this brochure were correct at the time of printing. All weights and measurements are approximate only. Images in this brochure may display some features not included in the standard specification. Scania Australia reserves the right to change specifications without prior notice.