





THE COLOUR OF POWER


Meet the Scania power generation engines. A complete line-up of uncompromising single-speed power packs supplying a wide range of outputs in displacements 9, 13 or 16 litres. From the modular design and industry-leading quality to the proven reliability that derives from over a century of passionate engineering.

In a world where the demands for safe, dependable and cost-efficient power generation constantly grow, our engines are developed to meet and exceed your toughest expectations. So when you seek to optimise your power generation products, and want an engine that strengthens your brand, you know what colour to look for.

The legendary Scania orange. A symbol of built-in confidence and long-lasting customer value.











Controlling emissions and fuel economy

At Scania, we embrace every effort to reduce the effects on climate and environment. This is why emission control goes hand in hand with our strive to minimise fuel consumption and develop technologies for alternative fuels. Whichever specification you choose, you can relax knowing that every cubic millimetre of fuel is converted to productivity in the cleanest and most economical way possible.

Simplicity through modularity


The fact that every Scania engine model is built from identical basic components means unique flexibility, outstanding economy and short time-to-market. And for the end-user, the modular system contributes to higher parts availability, minimum waste and easy servicing for a single technician. If you know one Scania engine, you know them all. And you can always rest assured that every single part is the result of an evolution based on proven technologies and a wealth of experience from applications all over the world.

Compact dimensions. Common footprint.

The Scania engine is compact and impressively streamlined by default, which facilitates design, integration and installation. For each engine model – 9-, 13- or 16-litre – there is a complete line-up of power ratings to choose from, for both prime and standby power. And since the engine footprint is identical for the different emissions certification versions of each stroke volume, life is simplified for genset manufacturers operating globally.

Outstanding operating economy

Scania has a worldwide reputation of delivering outstanding operating economy based on high-quality products, services and support. And our engines make no exception. They have been proven, tested and trusted in vehicles and equipment in the toughest conditions on different continents. For your products and your brand, and for your customers, this means added value and a paved way to trustful and profitable business.



Engineered for uptime

Uptime depends on many factors. The robustness and dependability of engine components and vital engine systems. The simplicity of maintaining and repairing, as well as the overall durability. At Scania we take all this into consideration. For instance, today's engine platform features longer service life and extended service intervals, meaning a full 500 hours between oil changes and maintenance.

Exceptional step-load handling

Legendary power and reliability make our engines ideal for standby power applications. In case of power loss, the engine responds instantly. Designed to handle high load variations effectively, the engines from Scania make a true difference when power supply is imperative.

100,000 proofs of excellence – a year

Scania is one of the world's leading engine manufacturers, with more than a century of engineering experience backing up our constant development of cutting-edge solutions for heavy-duty applications. Around 100,000 Scania engines are manufactured each year. This means outstanding availability of products and parts, and unparalleled uptime.

Worldwide service network

With more than 1,800 service workshops all over the world, the availability of professional services, assistance and advice leaves nothing to be desired. Many of our authorised workshops are ready and reachable around the clock, 365 days a year.

PURE SCANIA. DOWN TO THE NANOMETRE.

The Scania engine is designed and built inhouse. And by taking advantage of proven technologies as a basis for development, our engineers continue to break new ground while maintaining Scania's industry-leading standards of dependability and quality. For the power generation engine platform, this evolution has led to a pioneering leap towards longer-lasting and more fuel-efficient engines, that deliver the uncompromising power and reliability that you have come to expect from Scania.





Scania XPI

Scania XPI (extra high pressure injection) is a Scania-designed common rail fuel injection system that makes continuous, precise adjustments to ensure optimal fuel delivery. The system varies the volume and timing of injection, thereby minimising consumption and emissions without restricting step load performance. With Scania XPI, pressure can be set independently of engine speed, with exceptional precision.



Scania PDE

The Scania PDE fuel injection system makes continuous, precise adjustments to ensure optimal fuel delivery in all conditions. The system is able to vary the volume and timing of injection, thereby minimising consumption and emissions without restricting torque build-up and step-load handling.



Scania EMS

To secure control over all aspects of engine performance, as well as emissions, Scania has developed a new generation of engine management systems that controls all functions electronically – from fuel injection to exhaust gas aftertreatment. The Scania EMS (engine management system) also provides advanced diagnostics and allows detailed logging of operational data for subsequent analysis.



Emission control options

Scania SCR (selective catalytic reduction) is a proven aftertreatment system ensuring that exhaust gases are released with minimum nitrogen oxide (NOx) content. A urea-based additive, AdBlue/DEF (diesel exhaust fuel), injected into the exhaust, converts the toxic nitrogen oxides into harmless water and nitrogen gas. Scania SCR is easy to handle, very reliable and does not affect torque and power output. Scania EGR (exhaust gas recirculation) partly reuses exhaust gases, enabling reduced NOx levels and a strong environmental performance for a wide variety of applications.



Scania saver ring

Fitted inside the cylinder, the Scania saver ring removes soot and other residue from the upper part of the piston, thus contributing to enhanced reliability, less need for maintenance and longer service life.

MADE FOR THE FUTURE. IN ACTION TODAY.

Our global, modular engine platform means maximum freedom of choice, flexibility and availability. And thanks to rational production under industry-leading quality standards, we can provide you with engines as well as parts with short lead times.

Starting out from the basic engine, we customise solutions regarding interfaces and additional equipment in line with your demands. Working in close cooperation with your engineers, we share our expertise and provide support in order to facilitate integration and optimise every part of the installation process.

Ready to start generating value? Select your Scania engine today.

9-litre engines

The DC9 is a turbocharged, 4-stroke diesel engine with unit injectors or high pressure injection fuel system and engine management system.

Configuration	5 inline
Displacement	9.3 litres
Bore x stroke	130 x 140 mm
Weight dry	950 kg
Output range, prime power	250–330 kVA (50 Hz) 250–366 kVA (60 Hz)
Output range, standby power	280–361 kVA (50 Hz) 309-405 kVA (60 Hz)



13-litre engines

The DC13 is a turbocharged, 4-stroke diesel engine with unit injectors or high pressure injection fuel system and engine management system.

Configuration	6 inline
Displacement	12.7 litres
Bore x stroke	130 x 160 mm
Weight dry	1,050 kg
Output range, prime power	350-503 kVA (50 Hz) 330-600 kVA (60 Hz)
Output range, standby power	408-553 kVA (50 Hz) 460-660 kVA (60 Hz)



16-litre engines

The DC16 is a turbocharged, 4-stroke diesel engine with unit injectors or high pressure injection fuel system and engine management system.

Configuration	V8
Displacement	16.4 litres
Bore x stroke	130 x 154 mm
Weight dry	1,340 kg
Output range, prime power	450-725 kVA (50 Hz) 400-728 kVA (60 Hz)
Output range, standby power	567–800 kVA (50 Hz) 553–800 kVA (60 Hz)



Depending on emission compliance, the rating and output range may vary. For further details, please check the technical specification sheets on your local Scania market site.