



LOW ENTRY

SCANIA CITYWIDE

FOR URBAN TRANSPORT OPERATIONS



SCANIA



DESIGNED FOR SUSTAINABLE AND EFFICIENT MOBILITY

Based on more than a century of engineering experience, the new generation Scania Citywide has been developed to meet the demands of today's and tomorrow's cities. Energy efficient, available in a wide range of powertrains and designed to boost the appeal of public transport, it offers the latest technology in everything from safety systems to reduced emission and noise levels. And through excellent uptime, fuel economy and passenger capacity, the Scania Citywide allows sustainable mobility to go hand-in-hand with operating economy.

For a better city environment

Having the right vehicle for the operation and using it efficiently is the best way to minimise environmental impact. Scania offers hybrid electric buses and engines running on all commercially viable renewable fuels – biodiesel/FAME, HVO and biogas powertrains, in order to meet the requirements of all urban operations. Through high quality vehicles and innovative technical solutions, maintenance, and a range of driver services, we address fuel efficiency from all angles, helping operators to reduce emissions and fuel costs.

To create a positive passenger experience, Scania buses have independent front suspension that makes the ride more comfortable and a highly efficient climate system that minimises energy consumption and can handle just about all types of climates.

The design and quality materials used in the Scania Citywide help minimise noise levels within the bus, and create a bright, spacious and welcoming passenger environment. To further increase the appeal of public transport, the bus also has a contemporary minimalistic exterior design.

To help prevent accidents and create a safer city environment, Scania buses have built-in state-of-the-art safety systems and features. These help the driver by increasing his or her awareness of other road users, or even help to control the vehicle when required.

Energy efficiency lowers operating cost

Public transport operators know the importance of keeping operating costs to a minimum, and fuel consumption is one of the main contributors to cost. An energy efficient powertrain can therefore offer significant savings in fuel. Scania develops and offers highly energy efficient powertrains, both traditional and electrified. Compared to previous models, the new generation of Scania buses can potentially save up to 21% in fuel and emissions, and without compromising on performance. This is achieved through a number of factors, with the most significant savings coming from improved engine and gearbox efficiency, weight reductions and the addition of a start/stop function. Beyond the powertrain, driving style has a major impact on fuel consumption. The drivability of Scania's vehicles and our driver assistance systems, as well as our driver services, can potentially contribute to further fuel savings of up to 10%.

Ensuring availability through reliable solutions

Reducing vehicle downtime and increasing utilisation is essential to making urban operations cost-efficient. Our buses are built on proven technology and components, resulting in chassis and powertrains that are dependable, durable, and robust. That reliability is the key to minimising time in the workshop and maximising utilisation of the vehicle.



Our buses are designed and constructed to make sure that sensitive and expensive components are protected in the event of a collision. Limiting damage and avoiding deformation of components such as the steering, aftertreatment system, is critical for minimising costs, as well as complex and time-consuming repairs. Additionally, Scania buses are designed to facilitate maintenance and to make it as efficient as possible. Here, Scania offers professional workshop services with excellent parts availability to secure maximum uptime.

Excellent passenger capacity

With one of the best passenger capacity figures in the industry, Scania buses allow operators to keep costs down by minimising the additional vehicle need during peak hours. High axle load capacity, reduced chassis and body weight, and new interior layout options means vehicle weight can be kept down, allowing for more passengers.

A first-class driver area

A bus operating in urban traffic is constantly exposed to the risk of external damage and the work environment for the driver can be very demanding. A quality driver environment can therefore play a crucial role in reducing the risk of collisions, downtime, sick-leave, and employee retention. The driver area in Scania buses is simply

first-class and can even be said to be industry leading. A great turning radius, good visibility, and an overall well-balanced vehicle makes for excellent driveability, while advanced driver assistance systems gives the driver good control of the vehicle through improved assisted handling, steering and braking. This increases safety and helps minimise accidents and the associated costs. Due to the demanding work environment, operators also face challenges when it comes to sick leave and employee retention; that's why we've designed the best possible work environment for drivers in terms of ergonomics, reachability, climate control, safety features and an overall quality feel.

Powertrains

The low entry Scania Citywide offers a wide range of energy efficient and reliable powertrains optimised for inner-city and suburban traffic.

Hybrid electric (Euro 6)	Output	Torque	Emission control	Fuel options
9-litre Electric motor	320 hp (235 kW) 130 kW	1600 Nm 1030 Nm	SCR	Biodiesel, HVO, diesel

Combustion (Euro 6)	Output	Torque	Emission control	Fuel options
7-litre	280 hp (206 kW) at 1900 r/min	1200 Nm (1050–1600 r/min)	SCR	Biodiesel, HVO, diesel
9-litre	280 hp (206 kW) at 1900 r/min	1400 Nm (1000–1400 r/min)	SCR	HVO, diesel
9-litre	320 hp (235 kW) at 1900 r/min	1600 Nm (1050–1400 r/min)	SCR	Biodiesel, HVO, diesel
9-litre	360 hp (265 kW) at 1900 r/min	1700 Nm (1050–1475 r/min)	SCR	Biodiesel, HVO, diesel

Fuel capacity (usable volumes): 140–360 litres, 450–560 litre (articulated)

9-litre	280 hp (206 kW) at 1900 r/min	1350 Nm (1000–1400 r/min)	EGR	Biogas, natural gas
9-litre	340 hp (250 kW) at 1900 r/min	1600 Nm (1100–1400 r/min)	EGR	Biogas, natural gas

Fuel capacity: 1260–1875 litres

Axles, doors and lengths

The low entry Scania Citywide is available in different versions and several options for door configurations to be able to meet the different demands of passenger capacity and flow.

2-axles, 10.9–13.3 m



3-axles, 13.5–14.8 m



3-axles, 18.1 m (articulated)




Heights

The height of the Scania Citywide is dependent on the choice of propulsion, with gas tanks and electric components positioned on the roof.

- 3.35 m (hybrid)
- 3.35 m (diesel)
- 3.42 m (gas)

Floor level

The low entry point and flat floor up to the central doors area offer the same accessibility as for the low floor version in the front and middle sections. In the rear section a higher floor creates better view for passengers. The widened aisle contributes to increased accessibility, comfort and passenger flow.



PRODUCT DESIGN FEATURES

The low entry Scania Citywide is designed and produced by Scania. Everything from the chassis construction to the powertrain and the body has been developed and thoroughly tested with a focus on reliability and performance without compromising on energy efficiency.

Battery packs

The battery packs for hybrids are placed on the roof, creating a well-balanced bus with excellent driveability and ride comfort.

Battery temperature control

Battery packs temperature are controlled by a closed water cooling system. In very cold or very hot ambient temperatures the water cooling is assisted by an electric heater or a A/C cooling respectively. The A/C circuit is separated from the climate control system of the bus and will not affect the comfort of the passengers or driver.

Powertrain technology

The highly dependable, durable, and robust powertrains enable fuel savings of up to 21%, achieved through a number of factors such as;

- Longitudinally central mounted engine in rear (-6%)
- Gearbox (-3%)
- Weight (-2%)
- Start/stop function (-6%)

Electric system

The new power supply architecture comes with improved electronic control units (ECUs) and functions that improve performance and facilitate diagnostics for repair and maintenance. It also enables new functionality within ADAS, e-mobility and autonomous transport systems.

The new electric doors are standard and have fewer moving components, making them more reliable and providing smoother movement.

Articulation control

The Scania Citywide features an industry-leading control system for its articulated variants. It prevents instability and jack-knifing by using wheelspin control, traction control, articulation damping system and the patented sway control. This facilitates handling, manoeuvrability, and safe driving in slippery conditions and during lane changes at high speeds.

Climate system

The cooling recovery system returns energy back into the system providing energy efficient airflow and climate control.

Chassis frame construction

The strengthened front axle, in combination with the ability to now use wider tyres, means that load capacity is increased from 7.1 to 8.2 tonnes. This allows higher passenger capacity. It also enables optimised weight distribution between the front and rear axles – especially important for gas and electric vehicles. Additionally, chassis weight has been reduced by 2% (>100 kg) without compromising robustness, contributing to lower fuel consumption.

Cut-to-length concept

Flexible bus length in 100 mm increments enables tailor-made layouts. Each 100 mm body section equals 100 kg and a potential fuel saving of 0.3%.



Fuel tanks

New front fuel tanks available in several volume options suitable for urban/suburban operations, 140–360 litres (usable volumes). The shape of the fuel tanks is optimised for the inner layout to enable mounting of seats closer to the wheel houses. The possibility for

placement under a seating platform is also available in two volumes, 235 or 300 litres (usable volumes).

Two performance steps available of fuel tanks placed at the centre axle 450 or 535 litres (usable volumes), for buses with high articulation.



Front suspension technology

Without compromising on passenger capacity, the new independent front suspension offers excellent passenger comfort and enables a wider aisle (900 mm) – resulting in new layout possibilities, increased passenger flow, space and accessibility.

The new rigid front suspension also increases passenger capacity and offers good passenger comfort.

Exterior design

Buses are a natural part of the cityscape, and the new contemporary and sophisticated exterior design signals innovation, quality and forward thinking.

- Characteristic and minimalistic form.
- Low windows contribute to minimizing the boundaries between the bus and its surroundings.
- Roof covers for components such as AC units, gas tanks and battery packs.
- Easy access to service points and easily replaced exterior corner panels.

Driver area

The driver area has a completely new design with improved ergonomics, visibility, safety, comfort, and driveability.

- Improved ergonomics and reachability – pedal placement, leg space, driver height settings, all-angle step-less seat adjustments, adjustable instrument panel and flexible switch placement due to CAN-functionality.
- Increased storage space.
- Increased visibility – lower instrument panel, slimmer A- and B-pillars, larger front window, lower side windows, more upright driver position (for a better view and control), new anti-reflex glass window and new rear view mirrors.
- Increased safety – frontal impact protection and electro-pneumatic parking brakes.
- High quality build and materials – reduces noise and vibration.
- Excellent drivability – great turning radius, advanced driver assistance systems, and improved assisted handling, steering and braking.
- Better climate system – improved climate system with better airflow.

Interior design

The new interior creates a more attractive passenger environment, boosting the appeal of public transport.

- Side windows – larger and lower windows create a brighter interior and improve passenger view.
- Lighting – indirect LED ceiling illumination creates a pleasant environment.
- Natural and sound absorbent materials – generate a bright interior and minimise noise.
- Ceiling – higher ceiling line and flat side ceiling panels improves both lighting and space.
- Aisle – a broader aisle increases spaciousness and improves passenger flow.
- Cleanability – seats attached to the walls and minimal gaps between panels and fixings facilitate cleaning.

Safety features

A range of functions supporting the driver in demanding urban environments.

- Electropneumatic parking brake - locks the brakes until acceleration is activated, thereby preventing unintentional vehicle motion.
- Adaptive cruise control – assists the driver to keep distance to vehicles in front.
- Vulnerable road user collision warning – detects cyclist and pedestrians close to the vehicle.
- Blind spot warning – detects other vehicles located in the driver's blind spot area.
- Impact and underrun protection – rigid beams in the front and the rear protect passengers, driver and sensitive components.

Product specifications

General

Wheel configuration: 2-axle, 3-axle with steered tag axle, 3-axle articulated

Door configuration:

1-1-0, 1-2-0, 1-2-1, 2-1-1, 2-2-0, 2-2-1
1-1-1-0, 1-1-1-1, 1-2-1-0, 1-2-1-1

Dimensions

Length:

10.9–13.3 m (2-axle)*
13.5–14.8 m (3-axle)
18.1 m (articulated)

*Shortest possible length of hybrid is 11.0 m and gas 12.6 m

Width: 2.55 m

Height:

3.35 m (hybrid)
3.35 m (diesel)
3.42 m (gas)

Passenger area

Total capacity: >100 passengers

Seating: Stear 8MS, Lahden 42, Kiel citos seats or customer choice, wheelchair ramp at middle door, four priority seats with folding armrest, location for wheelchair or pram, folding seats, reading lamp and air nozzles

Equipment: Luggage rack, camera surveillance, infotainment system (WiFi), interior LED or fluorescent light

Roof hatches: Electric or fixed

Driver area

Seating: Heated driver seat ISRI

Instrument panel: Adjustable or Fixed

Support systems: Scania Driver Support, electropneumatic parking brake, adaptive cruise control, vulnerable road user collision warning, blind spot warning, hill-hold

Equipment: Audio system, announcement system

Destinations signs

Placement: LED destination sign in front, side and rear

Climate system

Heating and cooling: Convector circuit, passenger area, auxiliary heater (diesel, biodiesel, ethanol or gas), defroster, separate or combined air conditioning for the driver, temperature controlled ventilation and AC for passengers

Powertrain – Euro 6

HVO, biodiesel, diesel:

7-litre 280 hp: (206 kW), Max torque 1200 Nm
9-litre 320 hp: (235 kW), Max torque 1600 Nm
9-litre 340 hp: (265 kW), Max torque 1700 Nm

HVO, diesel:

9-litre 280 hp: (206 kW), Max torque 1400 Nm

Fuel capacity (usable volumes):

140–360 litres
450–560 litres (articulated)

Biogas, natural gas:

9-litre 280 hp: (206 kW), Max torque 1350 Nm
9-litre 340 hp: (250 kW), Max torque 1600 Nm

Fuel capacity: 1260–1875 litres

Hybrid:

9-litre 320 hp: (235 kW), Max torque 1600 Nm
Electric motor 320 hp: (130 kW), Max torque 1030 Nm

Gearbox:

6-speed fully automatic
12-speed with Scania Opticruise

Electrical system

Equipment: Bi-LED or halogen headlights, LED daytime running, position and indicator lights, LED side and rear lights, Battery 210 or 230 Ah or dual battery system
Alternator 2x180 A

Brake and safety equipment

Equipment: Disc brakes, electronic brake system (EBS), anti-lock brake system (ABS), traction control (TC), integrated retarder, bus stop brake, rear view camera, fire extinguishing equipment in the engine compartment

Suspension and wheels

Front suspension: Independent or rigid, kneeling front door, whole front or whole side, automatic or manual control, total raising and lowering

Tyres: 275/70, 275/80, 295/80, 315/60 or 315/70 (front) and 275/70, 275/80, 295/80, 315/60, 315/70 or 315/80 (rear)

Rims: Aluminium or steel

Doors and windows

Optional: Tinted windows, single or double glazed side windows, double doors, inswing or sliding, doors at customers choice





SERVICE OFFERING

Our offering consists of a number of services for minimising emissions, increasing safety, and improving operating economy, focusing on areas like fuel efficiency and uptime. These services allow us to provide solutions to each operators' individual challenges and needs.

Scania's data services generates insight and create business value through anything from position and speed to performance and driving style. Scania's data API's comply with the rFSM standards 1.x and 2.x

Driver services

Enables drivers to drive safer and more efficient, and can reduce the need for maintenance.

Scania Driver Training

Combines theory and practice, covering topics such as safe and efficient driving, especially important when it comes to electric vehicles, not only to save energy but even regenerate energy by optimal driving. Handles also other aspects of professional driving, always with a focus on profitability, fuel economy and reduced emissions.

Scania Driver Evaluation

An on-board device that assesses the driving style by comparing it to that of drivers operating in similar conditions. The result, which can be used to achieve long term improvements, is visible in the Scania Fleet Management Portal and Scania Fleet App.

Tachograph services

The fleet is monitored via the tachograph portal, facilitating compliance with regulations regarding driving and working time. A tool that provides in-depth insights into driver activities and vehicle use, thus helping operators maximise uptime, comply with laws and regulations and meet health and safety requirements for drivers.

Fleet management services

The data collected on board the buses provides valuable insight into driving styles, productivity and economy. This level of tracking and diagnostics can bring significant benefits in terms of increased uptime, improved safety and reduced operating costs. Through the Scania Fleet Management Portal and the Scania Fleet App, operators can gain access to valuable insights and reap the benefits.

Scania Zone

A position-based system for real-time vehicle adjustments in pre-defined zones. It allows operators to ensure that each vehicle stays within the set speed limits, increasing city safety and lowering fuel consumption. Scania Zone is an optional add-on in Scania's fleet management system.

Repair and maintenance services

Having access to professional workshops and quality spare parts is key to keeping the vehicles in prime condition. Scania offers a range of repair and maintenance services:

Scania Flexible Maintenance

Uses real-time vehicle data to produce maintenance plans tailored to each vehicle's actual operation, meaning no underserving and no overserving. This is done by continually monitoring and analysing operational data to ensure maximum uptime and schedule maintenance customised to the operations, thus increasing productivity and decreasing disruptions.

Scania Fleet Care

The fleet operator receives a dedicated Fleet Manager from Scania equipped with advanced tools and systems, to optimise maintenance and prevent breakdowns based on operational data and vehicle data analysis.

Customer workshop services

A tailored collaboration service designed to facilitate for the operator by streamlining and quality assuring the workshop and workshop processes to meet Scania standards.

Financial services

Flexible financing and insurance solutions that suit the operational needs, tailored to provide predictable costs and manageable risks – over the entire lifecycle of the vehicles.

Scania Financing

Tailored solutions for financing an expansion or a fleet renewal. Handled with professional knowledge of financial of the transport business and optimised for the local tax and legal environment.

Scania Insurance

Tailored solutions that, together with claims support service and Scania Assistance, will help get the vehicle back on the road quicker, safeguarding uptime – and peace of mind.